

LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 15/08/2011 Revision date: 28/09/2020 Supersedes version of: 10/12/2018 Version: 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : LanoPro Multi Grease EP0

Synonyms : Former product name: LanoPro EP Grease 154-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

: Professional use Main use category Use of the substance/mixture : Lubricating grease

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LanoPro Production AS Smedveien 7 1344 Haslum, Norway T +47 40 00 15 14 - F +47 21 54 73 43 hb@lanopro.com - www.lanopro.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

: This product is a lithium grease based on mineral oil with additives. Comments

(EC-No.) 224-235-5

The mineral oils in the product contain <3% DMSO-extract (IP 346).

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-ethylhexyl zinc dithiophosphate	(CAS-No.) 4259-15-8 (EC-No.) 224-235-5 (REACH-no) 01-2119493635-27	< 2.5	Eye Dam. 1, H318 Aquatic Chronic 2, H411
Specific concentration limits:			
Name	Product identifier	Specific cond	centration limits
2-ethylhexyl zinc dithiophosphate	(CAS-No.) 4259-15-8	(50 <c 100)<="" td="" ≤=""><td>) Eye Dam. 1, H318</td></c>) Eye Dam. 1, H318



(REACH-no) 01-2119493635-27

LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the patient to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Liquid splashes in the eye may cause irritation.

Symptoms/effects after ingestion : Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon

dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non flammable.

Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : irritating gases.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper personal protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Concerning personal protective equipment to use, see section 8. Spill area may be

slippery. Do not breathe vapour.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup and emergency crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Spillage causes slippery floors and tools. Avoid breathing vapours.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container closed when not in use. Store in a well-

ventilated place. Keep cool.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : < 50 °C

7.3. Specific end use(s)

Consult the supplier for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Wear suitable gloves resistant to chemical penetration. Nitrile rubber gloves. Neoprene. Layer thickness: >0,38 mm. Breakthrough time: 6 (> 480 minutes). STANDARD EN 374.

Eye protection:

Not required

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required. In case of insufficient ventilation, wear suitable respiratory equipment. Use respiratory equipment with combination filter, type AX/P2. STANDARD: EN 140 / EN 141 / EN 136 / EN 143 / EN 405 / EN 137 / EN 147



Other information:

Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Highly viscous material.

Colour : Tan. Odour · kerosene Odour threshold : Not determined. pН : Not determined. Relative evaporation rate (butylacetate=1) Not determined Melting point : Not determined. Freezing point : Not determined. **Boiling point** : Not determined. : > 150 °C Flash point Critical temperature : Not determined.



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Auto-ignition temperature : Not determined. Decomposition temperature : Not determined. Flammability (solid, gas) : Non flammable. Vapour pressure : Not determined. Relative vapour density at 20 °C : Not determined. Relative density Not determined : < 1000 kg/m³ Density Solubility : Insoluble in water. Partition coefficient n-octanol/water (Log Pow) : Not determined. Viscosity, kinematic : Not determined. Viscosity, dynamic : Not determined. Explosive properties : Not explosive. Oxidising properties : Non flammable. **Explosive limits** : Not relevant.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Product is stable.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

oxidizing materials.

10.6. Hazardous decomposition products

Thermal decomposition may produce: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Additional information : Based on available data, the classification criteria are not met

2-ethylhexyl zinc dithiophosphate (4259-15-8)		
LD50 oral rat	3100 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Skin corrosion/irritation :	Not classified (Based on available data, the classification criteria are not met)	
	pH: Not determined.	
Additional information :	Prolonged or repeated contact may cause skin to become dry or cracked	
Serious eye damage/irritation :	Not classified	
	pH: Not determined.	
Additional information :	Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Germ cell mutagenicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Carcinogenicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Reproductive toxicity :	Not classified	



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) Additional information

: Inhalation of oil mist or vapours formed during heating of the product will irritate the

respiratory system and provoke coughing.

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

2-ethylhexyl zinc dithiophosphate (4259-15-8)		
LC50 fish 1 1 – 10 mg/l (96 hours - Rainbow trout)		
EC50 Daphnia 1	1 – 1.5 (48 hours - Daphnia magna)	
EC50 72h algae (1)	1 – 5 mg/l (96 hours - Pseudokirchneriella subcapitata)	

12.2. Persistence and degradability

LanoPro Multi Grease EPO	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

LanoPro Multi Grease EP0	
Partition coefficient n-octanol/water (Log Pow)	Not determined.
Bioaccumulative potential	No bioaccumulation.

2-ethylhexyl zinc dithiophosphate (4259-15-8)	
Partition coefficient n-octanol/water (Log Pow)	2.86

12.4. Mobility in soil

LanoPro Multi Grease EP0	
Ecology - soil	The product is insoluble in water. Adsorbs into the soil.

12.5. Results of PBT and vPvB assessment

12.6. Results of 1 B1 and 11 1 B assessment	
LanoPro Multi Grease EP0	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

Other adverse effects : None to our knowledge.

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose as hazardous waste. Waste treatment methods : Do not discharge into drains.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to a hazardous or special waste collection point.

: The given LoW-code is a guiding, and the code depends on how the waste is formed. User Additional information

must evaluate the choice of correct code.

Ecology - waste materials Avoid release to the environment

: 13 08 99* - wastes not otherwise specified European List of Waste (LoW) code 13 02 00 - waste engine, gear and lubricating oils



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

SDS ID : 302045



Safety Data Sheet
LanoPro Multi Grease EP0
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits. Data sources

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Eye Dam. 1 Serious eye damage/eye irritation, Category 1	
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
EUH210 Safety data sheet available on request.	

