

## LanoPro Wire Oil 30 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 30/04/2012 Revision date: 28/09/2020 Supersedes version of: 15/08/2016 Version: 6.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : LanoPro Wire Oil 30 EAL

Synonyms : Former product name: LanoPro Wire Oil 20-30 G

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use,Professional use
Use of the substance/mixture : Lubricant. Corrosion treatment

Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

LanoPro Production AS
Smedveien 7
1344 Haslum, Norway
T +47 40 00 15 14 - F +47 21 54 73 43
hb@lanopro.com - www.lanopro.com

1.4. Emergency telephone number

The Emorganity to opinion number				
Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Unit)		+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

## Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

## 2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions. This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

## 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH Annex II

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the patient to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.



# LanoPro Wire Oil 30 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : Inhalation of vapours may cause respiratory irritation. Symptoms/effects after eye contact : Liquid splashes in the eye may cause irritation.

Symptoms/effects after ingestion : May cause discomfort if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon

dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non flammable.

Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper personal protective equipment, including respiratory

protection.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Concerning personal protective equipment to use, see section 8.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup and emergency crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container closed when not in use. Store in a well-

ventilated place. Keep cool.

## 7.3. Specific end use(s)

No additional data.



## LanoPro Wire Oil 30 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

## Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Nitrile rubber gloves. Neoprene. Layer thickness: >0,38 mm. Breakthrough time: 6 (> 480 minutes). STANDARD EN 374.

#### Eye protection:

Use splash goggles when eye contact due to splashing is possible. STANDARD EN 166.

## Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Not required



## Other information:

Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Blue.
Odour : slight.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available

Melting point :  $80 \, ^{\circ}\mathrm{C}$  Freezing point :  $-30 \, ^{\circ}\mathrm{C}$ 

Boiling point : No data available

Flash point : 288 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Non flammable.
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available

Density : 0.92 g/cm³

Solubility : Insoluble in water. soluble in most organic solvents.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : 42.28 cSt 40°C Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available



## LanoPro Wire Oil 30 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Product is stable.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None to our knowledge.

#### 10.5. Incompatible materials

oxidizing materials.

## 10.6. Hazardous decomposition products

Thermal decomposition may produce: fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Additional information : Based on available data, the classification criteria are not met

Skin corrosion/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

Additional information : Liquid splashes in the eye may cause irritation.

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

Additional information : Inhalation of oil mist or vapours formed during heating of the product will irritate the

respiratory system and provoke coughing.

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

LanoPro Wire Oil 30 EAL	
Viscosity, kinematic	42.28 mm²/s 40°C

# **SECTION 12: Ecological information**

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

## 12.2. Persistence and degradability

LanoPro Wire Oil 30 EAL		
Persistence and degradability	Readily biodegradable.	



# LanoPro Wire Oil 30 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential

LanoPro Wire Oil 30 EAL	anoPro Wire Oil 30 EAL		
Bioaccumulative potential	Not potentially bioaccumulable.		

## 12.4. Mobility in soil

LanoPro Wire Oil 30 EAL	oPro Wire Oil 30 EAL		
Ecology - soil	The product is insoluble in water.		

## 12.5. Results of PBT and vPvB assessment

	LanoPro Wire Oil 30 EAL	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

## 12.6. Other adverse effects

Other adverse effects : None to our knowledge.

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to a hazardous or special waste collection point.

Additional information : The given LoW-code is a guiding, and the code depends on how the waste is formed. User

must evaluate the choice of correct code.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 13 08 99\* - wastes not otherwise specified

13 02 08\* - other engine, gear and lubricating oils

# SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN number	4.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

#### 14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable



## LanoPro Wire Oil 30 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## Rail transport

Not applicable

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### **National regulations**

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

SDS ID : 302056

Data sources : EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of

dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

Other information : None.

