LanoPro De-Wipes

Issued: 21/10-2020

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: LanoPro De-Wipes

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Disinfection agent

Wet wipe with disinfectant effect.

Area of use:

PT 1: Human hygiene

PT 2: Disinfectants and algaecides not intended for direct application to humans or animals

PT 4: Food and feed area

Any other use is prohibited unless specifically authorized.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: LanoPro Production AS

Address: Smedveien 7 1344 Haslum Country: NORWAY

E-mail: mail@lanopro.com
Phone: +47 40 00 15 14

Fax: NA

Homepage: www.lanopro.com

1.4. Emergency Telephone Number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Aquatic Chronic 3;H412

Most serious harmful effects: Harmful to aquatic life with long lasting effects.

2.2. Label elements

H-phrases

H412 Harmful to aquatic life with long lasting effects.

P-phrases

P102 Keep out of reach of children.
P273 Avoid release to the environment.

P501 Dispose of contents and their containers in accordance with regional, national, and

international regulations.

P501 Empty (drip-free) and rinsed containers are sorted as plastic packaging.

P501 Used wipe and foil laminate are sorted as residual waste.

Supplemental information

Disinfectant

Contains active substance: Benzalkonium chloride 0,25%-0,5%

LanoPro Production AS 1 / 8

LanoPro De-Wipes

Issued: 21/10-2020

Area of use: Surface disinfection Hand disinfection. Wet wipe with disinfectant effect. Any other use is prohibited unless specifically authorized.

Use a wet wipe to wipe the surface, and leave on for 5 minutes (self-drying).

Use biocides safely. Always read the label and product information before use.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP- classification
C12-C16 alkylbenzyldimet hylammonium chloride	68424-85-1	1270-325-2	01-2119965180- 41	0.25 -< 0.5%		Acute Tox. 4;H302 Skin Corr. 1B;H314 Eye Dam. 1;H318 Aquatic Acute 1;H400 Aquatic Chronic 1;H410

Please see section 16 for the full text of H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Do not induce vomiting. Wash out mouth thoroughly and drink 1-2 glasses of water in small

sips. Seek medical advice in case of discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Choose extinguishing agents based on the surrounding fire.

Unsuitable extinguishing

Among common extinguishing agents are none that are directly unsuitable.

media:

5.2. Special hazards arising from the substance or mixture

Can generate harmful flue gases containing carbon monoxide and carbon doixide in the event of fire. The product decomposes when combusted and the following toxic gases can be formed: Aldehydes.

5.3. Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit. Send contaminated extinguishing water for destruction.

LanoPro Production AS 2 / 8

LanoPro De-Wipes

Issued: 21/10-2020

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear suitable protective equipment. Provide good ventilation.

6.2. Environmental precautions

Avoid unnecessary release to the environment.

6.3. Methods and material for containment and cleaning up

Wipe up minor spills with a cloth. Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not eat, drink or smoke during work.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry, cool, well-ventilated area.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Legal basis: Commission Directive 2000/39/EC (Occupational Exposure Limits) as subsequently

amended. Last amended by Commission Directive 2019/1831/EU. Directive 2004/37/EC (Exposure to carcinogens or mutagens at work) as subsequently amended. Last amended

by Directive 2019/983/EU.

PNEC

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1									
Exposure	Value	Assessment Factor	Extrapolation Method	Note					
PNEC aqua (freshwater)	0,0009 mg/l								
PNEC aqua (marine water)	0,00096 mg/l								
PNEC sediment (freshwater)	12,27 mg/kg								
(Walei)	13,09 mg/kg								
PNEC STP (wastewater-treatment facilities)	0,4 mg/l								
PNEC soil	7 mg/kg								

DNEL - workers

LanoPro Production AS 3 / 8

LanoPro De-Wipes

Issued: 21/10-2020

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1								
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note			
Inhalation DNEL (long-term exposure - systemic effects)	3,96 mg/m³							
Dermal DNEL (long- term exposure - systemic effects)	5,7 mg/kg bw/day							

DNEL - general population

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1								
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note			
Dermal DNEL (long- term exposure - systemic effects)	3,4 mg/kg bw/day							
Inhalation DNEL (long-term exposure - systemic effects)	1,64 mg/m³							
Oral DNEL (long- term exposure - systemic effects)	3,4 mg/kg bw/day							

8.2. Exposure controls

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. **eye/face protection:**

Personal protective equipment, Not required. skin protection:

Personal protective equipment, Protective gloves are normally not needed due to the properties of this product, but may be hand protection:

necessary for other reasons, e.g. mechanical risks, temperature conditions etc.

Personal protective equipment, Not required. respiratory protection:

Environmental exposure Ensure compliance with local regulations for emissions. **controls:**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Wet wipes
Colour	Colourless
Odour	Weak
Solubility	Soluble in water.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

Parameter	Value/unit	Remarks
pH (solution for use)	6 - 7	
pH (concentrate)	No data	
Melting point	No data	
Freezing point	0 °C	
Initial boiling point and boiling range	No data	
Flash Point	No data	
Evaporation rate	No data	

LanoPro Production AS 4 / 8

LanoPro De-Wipes

Issued: 21/10-2020

Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Vapour pressure	No data	
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octonol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	No data	
Odour threshold	No data	

9.2 Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid frost.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

•	•		•			
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		3975mg/kg bw			

The product does not have to be classified.

Acute toxicity - dermal

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		2848mg/kg bw			

The product does not have to be classified.

LanoPro Production AS 5 / 8

LanoPro De-Wipes

Issued: 21/10-2020

Acute toxicity - inhalation: Test data are not available. The product does not have to be classified.

Skin corrosion/irritation

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				Corrosive		

Based on existing data, the classification criteria are deemed not to have been met.

Serious eye damage/eye irritation

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				Corrosive		

Based on existing data, the classification criteria are deemed not to have been met.

Respiratory sensitisation or skin sensitisation:

Based on existing data, the classification criteria are deemed not to have been met.

Skiii Sciisitisation.

Based on existing data, the classification criteria are deemed not to have been met.

Carcinogenic properties:

Germ cell mutagenicity:

Based on existing data, the classification criteria are deemed not to have been met.

Reproductive toxicity

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	NOAEL		30mg/kg			

Based on existing data, the classification criteria are deemed not to have been met.

Single STOT exposure: Based on existing data, the classification criteria are deemed not to have been met.

Repeated STOT exposure

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

Organism Test Type		Exposure time	Value	Conclusion	Test method	Source				
	NOAEL		47.5mg/kg	Oral.						

Based on existing data, the classification criteria are deemed not to have been met.

Aspiration hazard: The product does not have to be classified.

Other toxicological effects

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

Organism	Test Type	Type Exposure time Value		Conclusion	Test method	Source
			Non-sensitising			

The product does not have to be classified.

SECTION 12: Ecological information

12.1. Toxicity

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

		,					
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish		96 h	96hLC50	0.515mg/l			
Crustacea	Daphnia magna	48 h	48hEC50	0.016mg/l			

LanoPro Production AS 6 / 8

LanoPro De-Wipes

Issued: 21/10-2020

Algae	Name of species not specified	96 h	96hEC50	0.03mg/l		
Fish	Name of species not specified	NOEC, 28 d		0.0322mg/l		
Crustacea	Daphnia magna	NOEC, 21 d		0.025mg/l		

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		63%	Readily biodegradable.	OECD 301 D	

The product(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

C12-C16 alkylbenzyldimethylammonium chloride, cas-no 68424-85-1

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	2.75			
			BCF	67 - 160			

No bioaccumulation expected.

12.4. Mobility in soil

Not expected to be mobile in soil.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Uncleansed packaging is to be disposed of via the local waste-removal scheme. Empty, cleansed packaging should be disposed of for recycling.

Avoid unnecessary release to the environment.

EWC code: Depends on line of business and use, for instance

Category of waste: 20 01 30 detergents other than those mentioned in 20 01 29

If the product should be mixed with other waste this code might be incorrect. Another EWC code should be apointed.

SECTION 14: Transport information

LanoPro Production AS 7 / 8

LanoPro De-Wipes

Issued: 21/10-2020

14.1. UN-No.:14.2. UN proper shipping

Not applicable. Not applicable. 14.4. Packing group:14.5. Environmental

Not applicable. Not applicable.

name:

hazards:

14.3. Transport hazard

class(es):

Not applicable.

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Abbreviations: DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

References to literature and

data sources:

Safety Data Sheets and other information from suppliers.

ECHA reg. sub.: ECHA database for information on registered substances.

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1007/2006/EC (DEACH) as

preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

subsequently changed.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

SDS is prepared by

Company: LanoPro Production AS

Country: NORWAY

Document language: EU

LanoPro Production AS 8 / 8