

LanoPro Storage Oil 10 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 14/05/2009 Revision date: 01/08/2019 Supersedes: 15/08/2016 Version: 9.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : LanoPro Storage Oil 10 EAL

Vaporizer : Aerosol

Synonyms : Former product name: LanoPro Storage Spray 11-10 G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

: Industrial use.Professional use Main use category Use of the substance/mixture : Lubricant Anti-corrosion.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LanoPro Production AS Smedveien 7 1344 Haslum, Norway

T +47 40 00 15 14 - F +47 21 54 73 43 mail@lanopro.com - www.lanopro.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Unit)		+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions. This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII



LanoPro Storage Oil 10 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nitrogen	(CAS-No.) 7727-37-9 (EC-No.) 231-783-9 (REACH-no) N/A	10 - 30	Not classified
Ethanol; ethyl alcohol substance with national workplace exposure limit(s) (GB)	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	0 - 20	Flam. Liq. 2, H225

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the patient to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Shortness of breath. Inhalation of vapours may cause respiratory irritation.

Symptoms/effects after eye contact : Liquid splashes in the eye may cause irritation.

Symptoms/effects after ingestion : May cause discomfort if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon

dioxide. Water spray.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Contains gas under pressure; may explode if heated. Heat may build pressure, rupturing

closed containers, spreading fire and increasing risk of burns and injuries.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2).

5.3. Advice for firefighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protective equipment as required. Concerning personal protective equipment

to use, see section 8. No flames, no sparks. Eliminate all sources of ignition. No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup and emergency crew with proper protection.



LanoPro Storage Oil 10 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8 for information on personal protection equipment. See section 13 for waste handling.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Keep away from sources of ignition - No smoking. Handle empty containers with care because residual

vapours are flammable. Do not spray on an open flame or other ignition source. Do not subject to grinding, shock, friction.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Store in a well-ventilated place. Keep cool. Do not expose to temperatures exceeding 50

°C/ 122 °F. Keep in fireproof place.

Incompatible materials : Heat sources. Storage temperature : $< 50 \, ^{\circ}\text{C}$

7.3. Specific end use(s)

No additional data.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol; ethyl alcohol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Hand protection:

In case of repeated or prolonged contact wear gloves. Neoprene or nitrile rubber gloves. Layer thickness: 0,2 - 0,4 mm. Breakthrough time: 6 (> 480 minutes). STANDARD EN 374.

Eye protection:

Use splash goggles when eye contact due to splashing is possible. STANDARD EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. CCROVDM, CCR with organic vapour cartridge and dust and mist filter. Standard EN 141.

Other information:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.



LanoPro Storage Oil 10 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : aerosol.

Colour : Clear. light brown.

Odour : slight.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available

Boiling point : $< 30 \, ^{\circ}\text{C}$

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : 760 mm Hg Relative vapour density at 20 °C : No data available Relative density : No data available Density : 1.1 - 1.2 g/cm3 Solubility : Insoluble in water. Log Pow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties : No data available : No data available **Explosive limits**

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No incompatible groups noted.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use. Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

No polymerization.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Heat. Sparks. Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

Strong acids. oxidizing materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethanol; ethyl alcohol (64-17-5)		
	LD50 oral rat	7060 mg/kg
	LD50 dermal rabbit	> 20000 mg/m³



Safety Data Sheet
LanoPro Storage Oil 10 EAL
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 inhalation rat (Vapours - mg/l/4h)	124.7 mg/l/4h
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
LanoPro Storage Oil 10 EAL	
Vaporizer	Aerosol

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Avoid discharge to the environment.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Ethanol; ethyl alcohol (64-17-5)	
LC50 fish 1	13500 mg/l (96 hours - Pimephales promelas)
EC50 Daphnia 1	54000 mg/l (48 hours - Daphnia magna)

12.2. Persistence and degradability

LanoPro Storage Oil 10 EAL	
Persistence and degradability	Biodegradable.

Ethanol; ethyl alcohol (64-17-5)	
BOD (% of ThOD)	≥ 0.4 % ThOD BOD5/COD
Biodegradation	85 % (OECD 301D method)

12.3. Bioaccumulative potential

LanoPro Storage Oil 10 EAL	
Bioaccumulative potential	No bioaccumulation.

nitrogen (7727-37-9)	
Bioconcentration factor (BCF REACH)	2.88

12.4. Mobility in soil

LanoPro Storage Oil 10 EAL	
Ecology - soil	The product is volatile and will evaporate quickly.

12.5. Results of PBT and vPvB assessment

LanoPro Storage Oil 10 EAL	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	



LanoPro Storage Oil 10 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Dispose as hazardous waste.

Product/Packaging disposal recommendations

: Dispose of contents/container to a hazardous or special waste collection point. Container

under pressure. Do not drill or burn even after use.

Additional information : The given LoW-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code. Flammable vapours may accumulate in the

container.

SECTION 14: Transport information

In accordance with ADN / ADR / IATA / IMDG / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950	
14.2. UN proper shipping name					
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS	
14.3. Transport hazard class(es)					
2.1	2.1	2.1	2.1	2.1	
***	2	2	2	*	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

EmS-No. (Fire) : F-D EmS-No. (Spillage) : S-U

Air transport

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Y203

: A145, A167, A802 Special provisions (IATA)

Inland waterway transport

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) :1L Excepted quantities (ADN) : E0

Rail transport

Special provisions (RID) : 190, 327, 344, 625



LanoPro Storage Oil 10 EAL

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Limited quantities (RID) : 1L

Excepted quantities (RID) : E0

Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

SDS ID : 302039

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	

