



# Safety Data Sheet

## LanoPro Green Shield 30

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)  
Issue date: 1/15/2021 Revision date: 1/15/2021 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : LanoPro Green Shield 30  
Vaporizer : Aerosol  
Synonyms : Former product name: LanoPro Storage Spray 11-10 G

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Industrial use, Professional use  
Use of the substance/mixture : Lubricant Anti-corrosion.

##### Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

LanoPro Production AS  
Smedveien 7  
1344 Haslum, Norway  
T +47 40 00 15 14 - F +47 21 54 73 43  
[hb@lanopro.com](mailto:hb@lanopro.com) - [www.lanopro.com](http://www.lanopro.com)

#### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H222 - Extremely flammable aerosol.  
H229 - Pressurised container: May burst if heated.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Safety Data Sheet

## LanoPro Green Shield 30

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nitrogen	(CAS-No.) 7727-37-9 (EC-No.) 231-783-9 (REACH-no) N/A	10 – 30	Not classified
Ethanol; ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	0 – 20	Flam. Liq. 2, H225

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Allow affected person to breathe fresh air. Allow the patient to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: Shortness of breath. Inhalation of vapours may cause respiratory irritation.

Symptoms/effects after eye contact

: Liquid splashes in the eye may cause irritation.

Symptoms/effects after ingestion

: May cause discomfort if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media

: Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard

: Extremely flammable aerosol.

Explosion hazard

: Contains gas under pressure; may explode if heated. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Hazardous decomposition products in case of fire

: Carbon oxides (CO, CO<sub>2</sub>).

#### 5.3. Advice for firefighters

Firefighting instructions

: DO NOT fight fire when fire reaches explosives. Evacuate area.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. No flames, no sparks. Eliminate all sources of ignition. No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

##### 6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment

: Equip cleanup and emergency crew with proper protection.

# Safety Data Sheet

## LanoPro Green Shield 30

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Section 8 for information on personal protection equipment. See section 13 for waste handling.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Keep away from sources of ignition - No smoking. Handle empty containers with care because residual vapours are flammable. Do not spray on an open flame or other ignition source. Do not subject to grinding, shock, friction.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Store in a well-ventilated place. Keep cool. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.

Incompatible materials : Heat sources.

Storage temperature : < 50 °C

### 7.3. Specific end use(s)

No additional data.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Ethanol; ethyl alcohol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (OEL TWA) [1]	1920 mg/m <sup>3</sup>
United Kingdom	WEL TWA (OEL TWA) [2]	1000 ppm
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

#### Hand protection:

In case of repeated or prolonged contact wear gloves. Neoprene or nitrile rubber gloves. Layer thickness : 0,2 - 0,4 mm. Breakthrough time : 6 (> 480 minutes). STANDARD EN 374.

#### Eye protection:

Use splash goggles when eye contact due to splashing is possible. STANDARD EN 166.

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Not required with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Mask with combination filter BROWN A and P2 filter (organic gases / vapors and hazardous dust or aerosols). STANDARD: EN 140 / EN 141 / EN 136 / EN 143 / EN 405 / EN 137 / EN 147

#### Other information:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

# Safety Data Sheet

## LanoPro Green Shield 30

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: aerosol.
Colour	: Clear. light brown.
Odour	: slight.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: < 30 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: 760 mm Hg
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.1 – 1.2 g/cm <sup>3</sup>
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No incompatible groups noted.

#### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use. Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.3. Possibility of hazardous reactions

No polymerization.

#### 10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Heat. Sparks. Open flame. Direct sunlight. Overheating.

#### 10.5. Incompatible materials

Strong acids. oxidizing materials.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethanol; ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 20000 mg/m <sup>2</sup>

# Safety Data Sheet

## LanoPro Green Shield 30

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

LC50 Inhalation - Rat (Vapours)	124.7 mg/l/4h
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

<b>LanoPro Green Shield 30</b>	
Vaporizer	Aerosol

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Avoid discharge to the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

<b>Ethanol; ethyl alcohol (64-17-5)</b>	
LC50 - Fish [1]	13500 mg/l (96 hours - Pimephales promelas)
EC50 - Crustacea [1]	54000 mg/l (48 hours - Daphnia magna)

### 12.2. Persistence and degradability

<b>LanoPro Green Shield 30</b>	
Persistence and degradability	Biodegradable.

<b>Ethanol; ethyl alcohol (64-17-5)</b>	
BOD (% of ThOD)	≥ 0.4 % ThOD BOD5/COD
Biodegradation	85 % (OECD 301D method)

### 12.3. Bioaccumulative potential

<b>LanoPro Green Shield 30</b>	
Bioaccumulative potential	No bioaccumulation.

<b>Nitrogen (7727-37-9)</b>	
Bioconcentration factor (BCF REACH)	2.88

### 12.4. Mobility in soil

<b>LanoPro Green Shield 30</b>	
Ecology - soil	The product is volatile and will evaporate quickly.

### 12.5. Results of PBT and vPvB assessment

<b>LanoPro Green Shield 30</b>	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	

# Safety Data Sheet

## LanoPro Green Shield 30

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Dispose as hazardous waste.  
Product/Packaging disposal recommendations : Dispose of contents/container to a hazardous or special waste collection point. Container under pressure. Do not drill or burn even after use.  
Additional information : The given LoW-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code. Flammable vapours may accumulate in the container.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
<b>14.2. UN proper shipping name</b>				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
<b>14.3. Transport hazard class(es)</b>				
2.1	2.1	2.1	2.1	2.1
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : 5F  
Special provisions (ADR) : 190, 327, 344, 625  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E0

#### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959  
EmS-No. (Fire) : F-D  
EmS-No. (Spillage) : S-U

#### Air transport

PCA Excepted quantities (IATA) : E0  
PCA Limited quantities (IATA) : Y203  
Special provisions (IATA) : A145, A167, A802

#### Inland waterway transport

Classification code (ADN) : 5F  
Special provisions (ADN) : 190, 327, 344, 625  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E0

#### Rail transport

Special provisions (RID) : 190, 327, 344, 625  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0

# Safety Data Sheet

## LanoPro Green Shield 30

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Hazard identification number (RID) : 23

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

SDS ID : 305333

Full text of H- and EUH-statements:	
Aerosol 1	Aerosol, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.