

SAFETY DATA SHEET

LanoPro Leak Stop

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LanoPro Leak Stop

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of Lubricant

the substance or mixture: Restricted to professional users.

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company and address: LanoPro Production AS

Smedveien 7 1344 Haslum Norway +47 40 00 15 14 www.lanopro.com

E-mail: mail@lanopro.com

Revision: 20/09/2023

SDS Version: 3.0

Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Aquatic Chronic 1; H410, Very toxic to aquatic life with long lasting effects.

2.2. Label elements

1.4.

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s): Very toxic to aquatic life with long lasting effects. (H410)

Precautionary statement(s):

General: -

Prevention: Avoid release to the environment. (P273)

Response: Collect spillage. (P391)

Storage: -

Disposal: Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances: None known.
Additional labelling: Not applicable.

2.3. Other hazards

Additional warnings: This mixture/product does not contain any substances considered to meet the criteria

classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

LanoPro Leak Stop Page 1 of 9



Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Phenol, isobutylenated, phosphate [Triphenyl phosphate > 25%]	CAS No.: 68937-40-6 EC No.: 273-065-8 UK-REACH: Index No.:	90 -100%	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty department – take the label or this safety

data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist.

Never give an unconscious person water or other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air

and stay with him/her.

Skin contact: Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance. Eye contact: If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

If the person is conscious, rinse the mouth with water and stay with the person. Never give the

person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

Ingestion:

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Non flammable

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Contaminated areas may be slippery.

6.2. Environmental precautions

LanoPro Leak Stop Page 2 of 9



Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

Reference to other sections 6.4.

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage

material:

Keep only in original packaging.

Storage temperature: Dry, cool and well ventilated

Protect from sunlight.

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. **Exposure controls**

Control is unnecessary if the product is used as intended.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Occupational exposure limits have not been defined for the substances in this product. Exposure limits: Appropriate technical Apply standard precautions during use of the product. Avoid inhalation of vapours.

measures: Hygiene measures:

must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid

environmental exposure:

Keep damming materials near the workplace. If possible, collect spillage during work.

In between use of the product and at the end of the working day all exposed areas of the body

Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
No specific requi	rements			

Skin protection:

Page 3 of 9 LanoPro Leak Stop



Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	<u>.</u>	R

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,38	> 480	EN374-2, EN374-3, EN388	ALL ALL



Eye protection:

Standards Type No specific requirements

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: Clear Odour / Odour threshold:

pH: Testing not relevant or not possible due to the nature of the product.

1.15 - 1.17 Density (g/cm3): 11400 - 11800 Relative density:

Kinematic viscosity: Testing not relevant or not possible due to the nature of the product.

28.8 - 35.2 (Method: ASTM D 445) mPa.s Dynamic viscosity:

Particle characteristics: Does not apply to liquids.

Phase changes

Melting point/Freezing

point (°C):

Testing not relevant or not possible due to the nature of the product.

Softening point/range Does not apply to liquids. (waxes and pastes) (°C):

Boiling point (°C): Testing not relevant or not possible due to the nature of the product.

Vapour pressure: < 1 hPa (150 °C)

Relative vapour density: Testing not relevant or not possible due to the nature of the product. Decomposition Testing not relevant or not possible due to the nature of the product. temperature (°C):

Data on fire and explosion hazards

Flash point (°C): ≥ 199 °C

Flammability (°C): Testing not relevant or not possible due to the nature of the product.

535 (Method: ASTM E-659) Auto-ignition temperature

Lower and upper explosion Testing not relevant or not possible due to the nature of the product.

limit (% v/v):

Solubility

Solubility in water: Insoluble

n-octanol/water coefficient: Testing not relevant or not possible due to the nature of the product. Solubility in fat (q/L): Testing not relevant or not possible due to the nature of the product.

9.2. Other information

> Oxidizing properties: Testing not relevant or not possible due to the nature of the product.

Other physical and chemical No data available.

parameters:

Page 4 of 9 LanoPro Leak Stop



SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Sunlight

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance Phenol, isobutylenated, phosphate [Triphenyl phosphate > 25%]

Species: Rat
Route of exposure: Dermal
Test: LD50
Result: > 2000 mg/kg

Product/substance Phenol, isobutylenated, phosphate [Triphenyl phosphate > 25%]

Species: Rat
Route of exposure: Inhalation
Test: LC50 (4 hours)
Result: > 200 mg/L

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

Not applicable.

Other information

None known.

LanoPro Leak Stop Page 5 of 9



SECTION 12: Ecological information

12.1. Toxicity

Product/substance Phenol, isobutylenated, phosphate [Triphenyl phosphate > 25%]

Species: Fi

Duration:

Test: LC50 Result: 0.8 mg/L

Product/substance Phenol, isobutylenated, phosphate [Triphenyl phosphate > 25%]

Species: Crustacear

Duration:

Test: EC50 Result: 0.202 mg/L

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Product/substance LanoPro Leak Stop

Biodegradable: Yes Test method:

Result:

12.3. Bioaccumulative potential

Product/substance LanoPro Leak Stop

Test method:
Potential bioaccumulation: No

LogPow: 4.85 BCF: 1.85

Other information:

12.4. Mobility in soil

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

Not applicable.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

16 05 08* Discarded organic chemicals consisting of or containing dangerous substances

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, isobutylenated, phosphate [Triphenyl phosphate > 25%])	Transport hazard class: 9 Label: 9 Classification code: M6	III	Yes	Limited quantities: 5 L Tunnel restriction code: (-)

LanoPro Leak Stop Page 6 of 9



		4.2 JN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
						See below for additional information.
IMDG	S is	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, sobutylenated, phosphate [Triphenyl phosphate > 25%])	Transport hazard class: 9 Label: 9 Classification code: M6	III	Yes	Limited quantities: 5 L EmS: F-A S-F See below for additional information.
IATA	S	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, sobutylenated, phosphate [Triphenyl shosphate > 25%])	Transport hazard class: 9 Label: 9 Classification code: M6	III	Yes	See below for additional information.

^{*} Packing group

Additional information

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR/IMDG/IATA provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA).

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport. IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport. This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: ●3Z

14.6. Special precautions for user

Not applicable.

Maritime transport in bulk according to IMO instruments 14.7.

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users. Demands for specific

No specific requirements.

education:

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200

SEVESO - Categories / dangerous substances:

tonnes

Additional information:

Not applicable.

Page 7 of 9 LanoPro Leak Stop

^{**} Environmental hazards



Sources: Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK

law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and

mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

EcoOnline, Regulatory Affairs

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily

LanoPro Leak Stop Page 8 of 9



correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

Page 9 of 9 LanoPro Leak Stop www.almego.com