

SAFETY DATA SHEET

LanoPro Wire Grease ST2 EAL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LanoPro Wire Grease ST2 EAL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of Lubricant

the substance or mixture: Restricted to professional users.

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company and address: LanoPro Production AS

Smedveien 7 1344 Haslum Norway +47 40 00 15 14 www.lanopro.com

E-mail: mail@lanopro.com

Revision: 21/09/2023 SDS Version: 12.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s): Not applicable.
Signal word: Not applicable.
Hazard statement(s): Not applicable.

Precautionary statement(s):

General: Prevention: Response: Storage: Disposal: -

Hazardous substances: None known.

Additional labelling: Not applicable.

2.3. Other hazards

Additional warnings: This mixture/product does not contain any substances considered to meet the criteria

classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Does not contain any substances required to report

LanoPro Wire Grease ST2 EAL Page 1 of 7



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

_

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty department – take the label or this safety

data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist.

Never give an unconscious person water or other drink.

Inhalation: In case of discomfort: bring the person into fresh air.

Skin contact: Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance. Eye contact: If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) and continue until irritation

stops. Remove contact lenses.

Ingestion: Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued

discomfort: seek medical assistance and bring this safety data sheet.

Burns: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation of vapours can irritate the respiratory system.

Splashes in the eyes can cause irritation

Ingestion may cause nausea, vomiting and diaré.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Non flammable

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

LanoPro Wire Grease ST2 EAL Page 2 of 7



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage

Keep only in original packaging.

material:

Storage temperature: Dry, cool and well ventilated

Incompatible materials: Oxidizing materials

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical

measures:

 $\label{lem:continuous} \mbox{Apply standard precautions during use of the product. Avoid inhalation of vapours.}$

Hygiene measures: Wash hands after use.

Measures to avoid No specific requirements.

environmental exposure:

Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

Work situation	Туре	Class	Colour	Standards	
	Respiratory protection is not needed in the event of adequate ventilation.				
In case of inadequate ventilation	Combination filter A2P2	Class 2	Brown/White	EN14387	

Skin protection:

Recommende	ed Type/Category	Standards	
Dedicated wor	5	-	R



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,38	> 480	EN374-2, EN374-3, EN388	

LanoPro Wire Grease ST2 EAL Page 3 of 7



Eye protection:

Standards Type

No specific requirements

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1.

Physical state: Liquid

Colour: Yellowish, Clear

Odour / Odour threshold: Faint

pH: Testing not relevant or not possible due to the nature of the product.

Density (q/cm3):

Kinematic viscosity: 137 mm²/s (40 °C)

Particle characteristics: Does not apply to liquids.

Phase changes

Melting point/Freezing

point (°C):

80 (Freezing point -10°C)

Softening point/range

(waxes and pastes) (°C):

Does not apply to liquids.

Boiling point (°C): Vapour pressure:

Relative vapour density:

Testing not relevant or not possible due to the nature of the product. Testing not relevant or not possible due to the nature of the product. Testing not relevant or not possible due to the nature of the product. Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C):

Data on fire and explosion hazards

Flash point (°C): Flammability (°C): Testing not relevant or not possible due to the nature of the product. Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature

Testing not relevant or not possible due to the nature of the product.

limit (% v/v):

Lower and upper explosion Testing not relevant or not possible due to the nature of the product.

Solubility

Insoluble Solubility in water:

n-octanol/water coefficient: Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L): Testing not relevant or not possible due to the nature of the product.

9.2. Other information

> Testing not relevant or not possible due to the nature of the product. Oxidizing properties:

Other physical and chemical No data available.

parameters:

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. **Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. **Conditions to avoid**

None known.

10.5. **Incompatible materials**

Oxidizing materials

10.6. **Hazardous decomposition products**

The product is not degraded when used as specified in section 1.

LanoPro Wire Grease ST2 EAL Page 4 of 7



SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law 11.1.

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards 11.2.

Long term effects

None known.

Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: Ecological information

12.1. **Toxicity**

No data available.

Persistence and degradability 12.2.

Product/substance LanoPro Wire Grease ST2 EAL Yes

Biodegradable:

Test method:

Result:

12.3. **Bioaccumulative potential**

Product/substance LanoPro Wire Grease ST2 EAL

Test method:

Potential bioaccumulation: No

LogPow: No data available. No data available.

Other information:

12.4. Mobility in soil

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

Endocrine disrupting properties 12.6.

Not applicable.

Other adverse effects 12.7.

None known.

LanoPro Wire Grease ST2 EAL Page 5 of 7



SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

13 02 Waste engine, gear and lubricating oils13 02 08* Other engine, gear and lubricating oils

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN <i>i</i>	14.2 / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

Demands for specific No specific requirements.

education:

SEVESO - Categories /

Not applicable.

dangerous substances:

Additional information: Not applicable.

Sources: Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK

law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

LanoPro Wire Grease ST2 EAL Page 6 of 7

^{**} Environmental hazards



DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

The safety data sheet is validated by

EcoOnline, Regulatory Affairs

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

LanoPro Wire Grease ST2 EAL Page 7 of 7